


www.serdrip.com



PRODUCT CATALOG



SERDRIP Irrigation Systems is a manufacturer company that was established in a fitting manner standards of the world for irrigation systems, drip irrigation pipe, filter systems, sprinkler irrigation systems and the production of plastic spare parts with high quality in 1994. Our Products are being produced with the certificates of TS ISO 9001 - 2015 and CE Quality Management Standard. SERDRIP Irrigation Systems, which is indispensable of this sector with young, dynamic and experienced staff in a short time, has achieved the firm quality in producing reflects to its service and duty.

SERDRIP Irrigation Systems, that aims to give better service to its customers with vwidely sellers in Turkey and other countries, is going to continue to keep customer's pleasure in the highestlevel.

serdrip.com

Les images et les dessins technique sont la propriete exclusive de notre entreprise sans notre accord prealable il est interdit de les dupliquer et de les partager Notre entreprise a l'exclusivite de changer les couleurs et les formes de tous les produits.

The pictures and technical drawings are the exclusive property of our company. Without our prior consent it is forbidden to duplicate and share them Our company has the exclusive right to change the colors and shapes of all products.



Gives direction to water,

La conception exceptionnelle fournit une distribution d'eau homogène jusqu'à un rayon de 12 m et une résistance élevée au vent dans l'irrigation en cercle complet La pression de fonctionnement minimale de l'arroseur est de 2 ou 2,5 bars pour une irrigation homogène efficace. Ci-dessus, les données sur l'environnement sans vent.

Exceptional design provides homogeneous water distribution up to Radius of 12 m and high resistance to wind in full circle irrigation Minimum operating pressure of the sprinkler is 2 or 2.5 bar for an efficient homogeneous irrigation. Above are the windless environment data.



**SerDrip
Sprink**



SER - 10



SER - 10 K

Technical Specification

| Nozzle | Approximate Flow Rate LPH | | | |
|-----------|---------------------------|---------|---------|--|
| mm | 2,5 bar | 3,0 bar | 3,5 bar | |
| 2.8 x 1.8 | 739 | 799 | 899 | |
| 3.2 x 1.8 | 860 | 935 | 1014 | |
| 3.2 x 2.3 | 1190 | 1299 | 1395 | |

Application Range

| Nozzle | Pressure | Flow Rate | Dia | A x B - mm/h | | | | | | | |
|-----------|----------|-----------|-----|--------------|--------|---------|--------|---------|---------|--|--|
| mm | Bar | LPH | m | 9 x 9 | 9 x 10 | 10 x 10 | 9 x 12 | 10 x 12 | 12 x 12 | | |
| 2.8 x 1.8 | 2.5 | 739 | 21 | 9.1 | 8.2 | 7.4 | 6.9 | 6.2 | 5.1 | | |
| | 3.0 | 799 | 22 | 9.9 | 8.9 | 8.0 | 7.4 | 6.7 | 5.6 | | |
| | 3.5 | 899 | 23 | 11.1 | 10.0 | 9.0 | 8.3 | 7.5 | 6.2 | | |
| 3.2 x 1.8 | 2.5 | 860 | 21 | 10.6 | 8.5 | 8.6 | 7.9 | 7.1 | 5.9 | | |
| | 3.0 | 935 | 22 | 11.6 | 10.4 | 9.3 | 8.7 | 7.8 | 6.5 | | |
| | 3.5 | 1014 | 23 | 12.5 | 11.2 | 10.1 | 9.4 | 8.4 | 7.0 | | |
| 3.2 x 2.3 | 2.5 | 1190 | 21 | 14.7 | 13.2 | 11.9 | 11.0 | 9.9 | 8.3 | | |
| | 3.0 | 1299 | 22 | 16.1 | 14.5 | 12.9 | 12.1 | 10.0 | 9.0 | | |
| | 3.5 | 1395 | 23 | 17.2 | 15.5 | 13.9 | 12.9 | 11.6 | 9.7 | | |

Why Ser - 10 Sprinkler

Exceptional design provides homogeneous water distribution up to Radius of 24 m and high resistance to wind in full circle irrigation. Minimum operating pressure of the sprinkler is 2.0 or 3.5 bar for an efficient homogeneous irrigation. Above are the windless environment data.



| CODE | DIMENSIONS | PCS/BOX |
|------------|------------|---------|
| SD042146 | 2.8 x 1.8 | 175 |
| SD042146-1 | 3.2 x 1.8 | 175 |
| SD042146-2 | 2.3 x 3.2 | 175 |

Why Ser - 10 K Sprinkler

Exceptional design provides homogeneous water distribution up to Radius of 24 m and high resistance to wind in full circle irrigation. Minimum operating pressure of the sprinkler is 2.0 or 3.5 bar for an efficient homogeneous irrigation. Above are the windless environment data.

| CODE | DIMENSIONS | PCS/BOX |
|------------|------------|---------|
| SD042146-3 | 2.8 x 2.0 | 125 |
| SD042146-4 | 3.2 x 2.0 | 125 |





SER - 15



SER - 15 T

Technical Specification

| Nozzle | Approximate Flow Rate LPH | | |
|-----------|---------------------------|---------|---------|
| mm | 2,5 bar | 3,0 bar | 3,5 bar |
| 3.0 x 4.0 | 1610 | 1752 | 1902 |
| 5.0 x 4.0 | 2158 | 2366 | 2554 |
| 5.0 x 4.5 | 2377 | 2606 | 2814 |

Application Range

| Nozzle | Pressure | Flow Rate | Dia | A x B - mm/h | | | |
|-----------|----------|-----------|-----|--------------|---------|---------|---------|
| mm | Bar | LPH | m | 10 x 10 | 10 x 12 | 12 x 12 | 10 x 15 |
| 3.0 x 4.0 | 2.5 | 1610 | 21 | 16.1 | 13.4 | 11.2 | 10.7 |
| | 3.0 | 1752 | 22 | 17.5 | 14.6 | 12.2 | 11.7 |
| | 3.5 | 1902 | 23 | 19.0 | 15.9 | 13.2 | 12.7 |
| 5.0 x 4.0 | 2.5 | 2158 | 21 | 21.6 | 18.0 | 15.4 | 14.4 |
| | 3.0 | 2366 | 22 | 23.6 | 19.7 | 16.4 | 15.8 |
| | 3.5 | 2554 | 23 | 25.5 | 21.3 | 17.7 | 17.0 |
| 5.0 x 4.5 | 2.5 | 2377 | 21 | 23.7 | 19.8 | 16.5 | 15.8 |
| | 3.0 | 2606 | 22 | 26.0 | 21.7 | 18.1 | 17.4 |
| | 3.5 | 2814 | 23 | 28.1 | 23.5 | 19.5 | 18.8 |

Why Ser - 15 Sprinkler

Exceptional design provides homogeneous water distribution up to Radius of 24 m and high resistance to wind in full circle irrigation. Minimum operating pressure of the sprinkler is 2.0 or 3.5 bar for an efficient homogeneous irrigation. Above are the windless environment data.

| CODE | DIMENSIONS | PCS/BOX |
|------------|------------|---------|
| SD042147 | 3.0 x 4.0 | 50 |
| SD042147-1 | 5.0 x 4.0 | 50 |
| SD042147-2 | 5.0 x 4.5 | 50 |

Why Ser - 17 Sprinkler

Exceptional design provides homogeneous water distribution up to Radius of 24 m and high resistance to wind in full circle irrigation. Minimum operating pressure of the sprinkler is 2.0 or 3.5 bar for an efficient homogeneous irrigation. Above are the windless environment data.

| CODE | DIMENSIONS | PCS/BOX |
|------------|------------|---------|
| SD042147-3 | 3.0 x 4.0 | 45 |
| SD042147-4 | 5.0 x 4.0 | 45 |
| SD042147-5 | 5.0 x 4.5 | 45 |



SER - 16



SER - 16 Y

Technical Specification

| Nozzle | Approximate Flow Rate LPH | | |
|-----------|---------------------------|---------|---------|
| mm | 2,5 bar | 3,0 bar | 3,5 bar |
| 3.8 x 2.3 | 1313 | 1439 | 1553 |
| 5.0 x 4.2 | 2814 | 3096 | 3336 |

Technical Specification

| Nozzle | Approximate Flow Rate LPH | | |
|-----------|---------------------------|---------|---------|
| mm | 2,5 bar | 3,0 bar | 3,5 bar |
| 3.8 x 2.3 | 1313 | 1439 | 1553 |
| 5.0 x 4.2 | 2814 | 3096 | 3336 |

Application Range

| Nozzle | Pressure | Flow Rate | Dia | A x B - mm/h | | | |
|-----------|----------|-----------|-----|--------------|---------|---------|---------|
| | | | | 10 x 10 | 10 x 12 | 12 x 12 | 10 x 15 |
| 3.8 x 2.3 | 2.5 | 1313 | 21 | 13.1 | 10.9 | 9.1 | 8.8 |
| | 3.0 | 1439 | 22 | 14.4 | 12.0 | 10.0 | 9.6 |
| | 3.5 | 1553 | 23 | 15.5 | 12.9 | 10.8 | 10.4 |
| 5.0 x 4.2 | 2.5 | 2814 | 21 | 28.1 | 23.5 | 19.5 | 18.8 |
| | 3.0 | 3096 | 22 | 31.0 | 25.8 | 21.5 | 20.6 |
| | 3.5 | 3336 | 23 | 33.4 | 27.8 | 23.2 | 22.2 |

Application Range

| Nozzle | Pressure | Flow Rate | Dia | A x B - mm/h | | | |
|-----------|----------|-----------|-----|--------------|---------|---------|---------|
| | | | | 10 x 10 | 10 x 12 | 12 x 12 | 10 x 15 |
| 3.8 x 2.3 | 2.5 | 1313 | 21 | 13.1 | 10.9 | 9.1 | 8.8 |
| | 3.0 | 1439 | 22 | 14.4 | 12.0 | 10.0 | 9.6 |
| | 3.5 | 1553 | 23 | 15.5 | 12.9 | 10.8 | 10.4 |
| 5.0 x 4.2 | 2.5 | 2814 | 21 | 28.1 | 23.5 | 19.5 | 18.8 |
| | 3.0 | 3096 | 22 | 31.0 | 25.8 | 21.5 | 20.6 |
| | 3.5 | 3336 | 23 | 33.4 | 27.8 | 23.2 | 22.2 |

Why Ser - 16 Sprinkler

Exceptional design provides homogeneous water distribution up to Radius of 24 m and high resistance to wind in full circle irrigation. Minimum operating pressure of the sprinkler is 2.0 or 3.5 bar for an efficient homogeneous irrigation. Above are the windless environment data.

| CODE | DIMENSIONS | PCS/BOX |
|------------|------------|---------|
| SD042148 | 3.8 x 2.3 | 40 |
| SD042148-1 | 5.0 x 4.2 | 40 |



Why Ser - 16 Y Sprinkler

Exceptional design provides homogeneous water distribution up to Radius of 24 m and high resistance to wind in full circle irrigation. Minimum operating pressure of the sprinkler is 2.0 or 3.5 bar for an efficient homogeneous irrigation. Above are the windless environment data.

| CODE | DIMENSIONS | PCS/BOX |
|------------|------------|---------|
| SD042148-2 | 3.8 x 2.3 | 40 |
| SD042148-3 | 5.0 x 4.2 | 40 |




SER - 17

SER - 17T

Technical Specification

| Nozzle | Approximate Flow Rate LPH | | |
|------------|---------------------------|---------|---------|
| mm | 2,5 bar | 3,0 bar | 3,5 bar |
| 3.8 x Oval | 1325 | 1450 | 1560 |
| 4.2 x Oval | 1375 | 1510 | 1630 |
| 5.0 x Oval | 1890 | 2070 | 2240 |

Application Range

| Nozzle | Pressure | Flow Rate | Dia | A x B - mm/h | | | |
|------------|----------|-----------|-----|--------------|---------|---------|---------|
| mm | Bar | LPH | m | 10 x 10 | 10 x 12 | 12 x 12 | 10 x 15 |
| 3.8 x Oval | 2.5 | 1325 | 23 | 13.2 | 11.0 | 9.2 | 8.8 |
| | 3.0 | 1450 | 24 | 14.5 | 12.1 | 10.1 | 9.7 |
| | 3.5 | 1560 | 25 | 15.6 | 13.0 | 10.9 | 10.4 |
| 4.2 x Oval | 2.5 | 1375 | 23 | 13.8 | 11.5 | 9.6 | 9.2 |
| | 3.0 | 1510 | 24 | 15.1 | 12.6 | 10.5 | 10.1 |
| | 3.5 | 1625 | 25 | 16.3 | 13.6 | 11.3 | 10.8 |
| 5.0 x Oval | 2.5 | 1890 | 23 | 18.9 | 15.7 | 13.1 | 12.6 |
| | 3.0 | 2070 | 24 | 20.6 | 17.2 | 14.3 | 13.8 |
| | 3.5 | 2240 | 25 | 22.3 | 18.6 | 15.5 | 14.9 |

Why Ser - 17 Sprinkler

Exceptional design provides homogeneous water distribution up to Radius of 24 m and high resistance to wind in full circle irrigation Minimum operating pressure of the sprinkler is 2.0 or 3.5 bar for an efficient homogeneous irrigation. Above are the windless environment data

| CODE | DIMENSIONS | PCS/BOX |
|------------|------------|---------|
| SD042149 | 3.8 x Oval | 50 |
| SD042149-1 | 4.2 x Oval | 50 |
| SD042149-2 | 5.0 x Oval | 50 |



Why Ser - 17 T Sprinkler

Exceptional design provides homogeneous water distribution up to Radius of 24 m and high resistance to wind in full circle irrigation Minimum operating pressure of the sprinkler is 2.0 or 3.5 bar for an efficient homogeneous irrigation. Above are the windless environment data

| CODE | DIMENSIONS | PCS/BOX |
|------------|------------|---------|
| SD042149-3 | 3.8 x Oval | 50 |
| SD042149-4 | 4.2 x Oval | 50 |
| SD042149-5 | 5.0 x Oval | 50 |





SER - 17K



SER - 18

Technical Specification

| Nozzle | Approximate Flow Rate LPH | | |
|------------|---------------------------|---------|---------|
| mm | 2,5 bar | 3,0 bar | 3,5 bar |
| 3.8 x Oval | 1325 | 1450 | 1560 |
| 4.2 x Oval | 1375 | 1510 | 1630 |
| 5.0 x Oval | 1890 | 2070 | 2240 |

Application Range

| Nozzle | Pressure | Flow Rate | Dia | A x B - mm/h | | | |
|------------|----------|-----------|-----|--------------|---------|---------|---------|
| | | | | 10 x 10 | 10 x 12 | 12 x 12 | 10 x 15 |
| 3.8 x Oval | 2.5 | 1325 | 23 | 13.2 | 11.0 | 9.2 | 8.8 |
| | 3.0 | 1450 | 24 | 14.5 | 12.1 | 10.1 | 9.7 |
| | 3.5 | 1560 | 25 | 15.6 | 13.0 | 10.9 | 10.4 |
| 4.2 x Oval | 2.5 | 1375 | 23 | 13.8 | 11.5 | 9.6 | 9.2 |
| | 3.0 | 1510 | 24 | 15.1 | 12.6 | 10.5 | 10.1 |
| | 3.5 | 1625 | 25 | 16.3 | 13.6 | 11.3 | 10.8 |
| 5.0 x Oval | 2.5 | 1890 | 23 | 18.9 | 15.7 | 13.1 | 12.6 |
| | 3.0 | 2070 | 24 | 20.6 | 17.2 | 14.3 | 13.8 |
| | 3.5 | 2240 | 25 | 22.3 | 18.6 | 15.5 | 14.9 |

Why Ser - 17 K Sprinkler

Exceptional design provides homogenous water distribution up to Radius of 24 m and high resistance to wind in full circle irrigation. Minimum operating pressure of the sprinkler is 2.0 or 3.5 bar for an efficient homogeneous irrigation. Above are the windless environment data.

| CODE | DIMENSIONS | PCS/BOX |
|------------|------------|---------|
| SD042149-6 | 3.8 x Oval | 40 |
| SD042149-7 | 4.2 x Oval | 40 |
| SD042149-8 | 5.0 x Oval | 40 |



Technical Specification

| Nozzle | Approximate Flow Rate LPH | | |
|-----------|---------------------------|---------|---------|
| mm | 2,5 bar | 3,0 bar | 3,5 bar |
| 3.8 x 2.3 | 1320 | 1440 | 1553 |
| 4.2 x 3.8 | 1910 | 2085 | 2252 |
| 5.0 x 4.2 | 2814 | 3096 | 3330 |

Application Range

| Nozzle | Pressure | Flow Rate | Dia | A x B - mm/h | | | |
|-----------|----------|-----------|-----|--------------|---------|---------|---------|
| | | | | 10 x 10 | 10 x 12 | 12 x 12 | 10 x 15 |
| 3.8 x 2.3 | 2.5 | 1320 | 21 | 13.2 | 11.0 | 9.2 | 8.8 |
| | 3.0 | 1440 | 22 | 14.5 | 12.1 | 10.1 | 9.7 |
| | 3.5 | 1553 | 23 | 15.6 | 13.0 | 10.9 | 10.4 |
| 4.2 x 3.8 | 2.5 | 1910 | 21 | 16.1 | 13.4 | 11.2 | 10.7 |
| | 3.0 | 2085 | 22 | 17.5 | 14.6 | 12.2 | 11.7 |
| | 3.5 | 2252 | 23 | 19.0 | 15.9 | 13.2 | 12.7 |
| 5.0 x 4.2 | 2.5 | 2814 | 21 | 21.6 | 18.0 | 15.4 | 14.4 |
| | 3.0 | 3096 | 22 | 23.6 | 19.7 | 16.4 | 15.8 |
| | 3.5 | 3330 | 23 | 25.5 | 21.3 | 17.7 | 17.0 |

Why Ser - 18 Sprinkler

Exceptional design provides homogenous water distribution up to Radius of 24 m and high resistance to wind in full circle irrigation. Minimum operating pressure of the sprinkler is 2.0 or 3.5 bar for an efficient homogeneous irrigation. Above are the windless environment data.

| CODE | DIMENSIONS | PCS/BOX |
|------------|------------|---------|
| Sd042150 | 3.8 x 2.3 | 40 |
| SD042150-1 | 4.2 x 3.8 | 40 |
| SD042150-2 | 5.0 x 4.2 | 40 |





Pipe Distributor With Abot

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042140 | 32x32x20 | 100 | 70x40x15 |
| SD042141 | 32x32x25 | 100 | 70x40x15 |



Stake Fixing

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042143 | 1/2x20 | 400 | 70x40x15 |
| SD042144 | 1/2x25 | 300 | 70x40x15 |
| SD042145 | 1/2x1/2 | 500 | 70x40x15 |



Reduction

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042154 | 32x20 | 400 | 70x40x15 |
| SD042155 | 32x25 | 400 | 70x40x15 |
| SD042155-1 | 32x32 | 400 | 70x40x15 |



1" Sprinkler Valve

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042153 | 32mx32f | 75 | 70x40x15 |

La conception exceptionnelle fournit une distribution d'eau homogène jusqu'à un rayon de 12 m et une résistance élevée au vent dans l'irrigation en cercle complet. La pression de fonctionnement minimale de l'arroseur est de 2 ou 2,5 bars pour une irrigation homogène efficace. Ci-dessus, les données sur l'environnement sans vent.

Exceptional design provides homogeneous water distribution up to Radius of 12 m and high resistance to wind in full circle irrigation. Minimum operating pressure of the sprinkler is 2 or 2.5 bar for an efficient homogeneous irrigation. Above are the windless environment data.



serdrip.com

It gives direction to
water and life to soil!



Gives direction to water,

- Nos mini vannes série nil
- Sont fabriquées à partir de matières premières, le ppc original. Il est apprécié par les clients pour sa construction solide et sa conception parfaite.
- Grace a sa pression de travail de 5 bar maximum, elle est le meilleur produit sur le marché
- Il est fabriqué par des machines de dernière technologie et assemblé avec des machines de dernières génération.
- Température de fonctionnement est de 0- 60° c
- Pour rendre son coût plus économique il est fabriqué sans joint.
- Il est adapté aux normes de mesure internationales et utilisé dans tous les pays du monde.

- Our nil series mini valves
- Are made from raw material, the original ppc. It is appreciated by customers for its solid construction and perfect design.
- Thanks to its maximum working pressure of 5 bar, it is the best product on the market
- It is manufactured on the latest technology machines and assembled with the latest generation machines.
- The working temperature is 0-60° c
- To make its cost more economical, it is manufactured without gasket.
- It is adapted to the international measurement standards and used in all countries of the world.

NILE SERIES



Nil Series Mini Valves



Nil Series Mini Valves



Mini Valve Barbed

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042500 | 16x16 | 400 | 42x33x26 |
| SD042501 | 20x16 | 350 | 42x33x26 |
| SD042502 | 20x20 | 350 | 42x33x26 |



Mini Valve Barbed Offtake

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042503 | 16x16 | 400 | 42x33x26 |
| SD042504 | 20x20 | 300 | 42x33x26 |



Mini Valve Thread Male - Barbed

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042505 | 16x1/2" | 400 | 42x33x26 |
| SD042506 | 16x3/4" | 350 | 42x33x26 |
| SD042507 | 20x1/2" | 350 | 42x33x26 |
| SD042508 | 20x3/4" | 350 | 42x33x26 |



Nil Series Mini Valves



Mini Valve Barbed For Tape & GR

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042509 | 17x16 | 300 | 42x33x26 |



Mini Valve Offtake For Tape & GR

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042512 | 17x16 | 300 | 42x33x26 |



Mini Valve Thread Male - Tape & GR

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042510 | 17x1/2" | 300 | 42x33x26 |
| SD042511 | 17x3/4" | 275 | 42x33x26 |



Mini Valve Barbed With Ring

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042513 | 17X16 | 400 | 42x33x26 |



Mini Valve Offtake With Ring

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042514 | 17x16 | 350 | 42x33x26 |



Mini Valve Thread Male-With Ring

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|-----------|------------|---------|----------|
| SD0 42515 | 17 X 1/2" | 350 | 42x33x26 |
| SD0 42516 | 17 X 3/4" | 300 | 42x33x26 |



Nil Series Mini Valves



Mini Valve Layflat Barbed

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042516-3 | 16 | 400 | 42x33x26 |



Mini Valve Layflat For Tape & GR

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|-------------|------------|---------|----------|
| SD0 42516-1 | 17 | 300 | 42x33x26 |



Mini Valve Layflat With Ring

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042516-2 | 17 | 350 | 42x33x26 |



Mini Valve Barbed Offtake Without Gasket

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042500-1 | 16x12 | 300 | 42x33x26 |



Mini Valve Offtake Without Gasket For Tape & GR

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|-------------|------------|---------|----------|
| SD0 42512-1 | 17 X 12 | 250 | 42x33x26 |



Mini Valve Offtake Without Gasket With Ring

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|-------------|------------|---------|----------|
| SD0 42513-1 | 17 X 12 | 300 | 42x33x26 |



Gives direction to water,

- Nos mini vannes série serdrip sont fabriquées à partir de matières premières, le ppc original. Il est apprécié par les clients pour sa construction solide et sa conception parfaite.
- Grâce à sa pression de travail de 5 bar maximum, elle est le meilleur produit sur le marché
- Il est fabriqué par des machines de dernière technologie et assemblé avec des machines de dernières générations.
- Température de fonctionnement est de 0- 60°C
- Il est adapté aux normes de mesure internationales et utilisé dans tous les pays du monde.

- Our serdrip series mini valves are made from raw material, the original ppc. It is appreciated by customers for its solid construction and perfect design.
- Thanks to its maximum working pressure of 5 bar, it is the best product on the market
- It is manufactured on the latest technology machines and assembled with the latest generation machines.
- The working temperature is 0-60°C
- It is adapted to the international measurement standards and used in all countries of the world.



SerDrip Mini Valves



serdrip.com

Serdrip Mini Valves



Mini Valve Barbed

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|------------|
| SD042001 | 16x16 | 350 | 42 x32 x26 |
| SD042002 | 20x16 | 350 | 42 x32 x26 |
| SD042003 | 20x20 | 300 | 42 x32 x26 |
| SD042004 | 25x25 | 150 | 42 x32 x26 |



Mini Valve Barbed Offtake

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042005 | 16x16 | 350 | 42x32x26 |
| SD042005-1 | 20x16 | 350 | 42x32x26 |
| SD042006 | 20x20 | 300 | 42x32x26 |
| SD042007 | 25x20 | 150 | 42x32x26 |



Mini Valve Thread Male - Barbed

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042008 | 16x1/2" | 350 | 42x32x26 |
| SD042009 | 16x3/4" | 350 | 42x32x26 |
| SD042010 | 20x1/2" | 350 | 42x32x26 |
| SD042011 | 20x3/4" | 300 | 42x32x26 |
| SD042012 | 25x1/2" | 150 | 42x32x26 |
| SD042013 | 25x3/4" | 150 | 42x32x26 |



Mini Valve Offtake For Tape

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042014 | 17x16 | 300 | 42x32x26 |
| SD042015 | 20x20 | 250 | 42x32x26 |
| SD042016 | 22x20 | 250 | 42x32x26 |
| SD042017 | 25x20 | 150 | 42x32x26 |



Mini Valve Barbed For Tape

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042014-1 | 17x16 | 300 | 42x32x26 |
| SD042015-1 | 20x20 | 275 | 42x32x26 |
| SD042016-1 | 22x20 | 250 | 42x32x26 |



Mini Valve Tape

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|-----------|
| SD042018 | 17x17 | 250 | 42x32 x26 |
| SD042019 | 20x20 | 250 | 42x32 x26 |



Mini Valve Therad Male - Tape

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042021 | 17x1/2" | 300 | 42x32x26 |
| SD042022 | 17x3/4" | 275 | 42x32x26 |
| SD042023 | 20x1/2" | 250 | 42x32x26 |
| SD042024 | 20x3/4" | 250 | 42x32x26 |



Mini Valve Barbed With Ring

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042029 | 17x16 | 300 | 42x32x26 |
| SD042030 | 22x20 | 250 | 42x32x26 |



Mini Valve Offtake With Ring

| CODE | DIMENSIONS | POS/BOX | BOX SIZE |
|----------|------------|---------|------------|
| SD042032 | 17x16 | 300 | 42 x32 x26 |
| SD042033 | 22x20 | 250 | 42x32 x26 |



Mini Valve Thread Male - With Ring

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042035 | 17x1/2" | 300 | 42x32x26 |
| SD042036 | 17x3/4" | 275 | 42x32x26 |
| SD042037 | 22x1/2" | 250 | 42x32x26 |
| SD042038 | 22x3/4" | 250 | 42x32x26 |



Mini Valve Ring

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042041 | 17x17 | 350 | 42x32x26 |
| SD042042 | 22x22 | 250 | 42x32x26 |



Mini Valve Three Way Barbed

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042263-8 | 16x16x16 | 200 | 42x32x26 |
| SD042263-4 | 20x16x20 | 175 | 42x32x26 |
| SD042263-5 | 20x20x20 | 175 | 42x32x26 |



Mini Valve Three Way Male - For Tape

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042046 | 17x1/2"x17 | 175 | 42x32x26 |
| SD042047 | 22x1/2"x22 | 125 | 42x32x26 |



Mini Valve Three Way Offtake - Barbed

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042263-1 | 16x20x16 | 200 | 42x32x26 |
| SD042263-2 | 20x20x20 | 175 | 42x32x26 |
| SD042263-3 | 16x16x16 | 200 | 42x32x26 |



Mini Valve Three Way Offtake -With Ring

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042263-7 | 17x16x17 | 175 | 42x32x26 |
| SD042261 | 17x20x17 | 175 | 42x32x26 |
| SD042262 | 22x20x22 | 150 | 42x32x26 |



Mini Valve Three Way Offtake - For Tape

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042263-6 | 17x16x17 | 150 | 42x32x26 |
| SD042263 | 17x20x17 | 150 | 42x32x26 |
| SD042264 | 22x20x22 | 125 | 42x32x26 |



Mini Valve Three Way Male -With Ring

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| Sd042044 | 17x1/2"x17 | 175 | 42x32x26 |
| Sd042045 | 22x1/2"x22 | 150 | 42x32x26 |



Gives direction to water,

- Nos raccords serdrip sont fabriquées à partir de matières premières, le ppc original. Il est apprécié par les clients pour sa construction solide et sa conception parfaite.
- Grace a sa pression de travail de 5 bar maximum, elle est le meilleur produit sur le marché
- Il est fabriqué par des machines de dernière technologie et assemblé avec des machines de dernières generation.
- Température de fonctionnement est de 0- 60°C
- Il est adapté aux normes de mesure internationales et utilisé dans tous les pays du monde.

- Our serdrip fittings are made from raw material, the original ppc. It is appreciated by customers for its solid construction and perfect design.
- Thanks to its maximum working pressure of 5 bar, it is the best product on the market
- It is manufactured on the latest technology machines and assembled with the latest generation machines.
- The working temperature is 0-60°C
- It is adapted to the international measurement standards and used in all countries of the world.



SerDrip Fittings

serdrip.com

Serdrip Irrigation Fittings



Barbed Nipple

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042094 | 16x16 | 2000 | 70x40x15 |
| SD042096 | 20x20 | 1000 | 70x40x15 |



Barbed Reduction

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042095 | 20x16 | 1000 | 70x40x15 |



Male Barbed Nipple

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042700 | 16x1/2 | 2000 | 70x40x15 |
| SD042701 | 16x3/4 | 2000 | 70x40x15 |
| SD042702 | 20x1/2 | 1000 | 70x40x15 |
| SD042703 | 20x3/4 | 1000 | 70x40x15 |



Mini Valve Barbed Offtake

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042070-4 | 16x12 | 1500 | 70x40x15 |



Barbed With Gasket Nipple

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042097 | 16 X 16 | 2000 | 70x40x15 |
| SD042098 | 20x20 | 1000 | 70x40x15 |



Male Tee

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042708 | 16x1/2x16 | 1000 | 70x40x15 |
| SD042709 | 16x3/4x16 | 750 | 70x40x15 |
| SD042710 | 20x1/2x20 | 750 | 70x40x15 |
| SD042711 | 20x3/4x20 | 750 | 70x40x15 |



Barbed Tee

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042103 | 16x16x16 | 1000 | 70x40x15 |
| SD042104 | 16x20x16 | 1000 | 70x40x15 |
| SD042105 | 20x16x20 | 750 | 70x40x15 |
| SD042106 | 20x20x20 | 500 | 70x40x15 |



Barbed Elbow

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042107 | 16 X 16 | 1500 | 70x40x15 |
| SD042108 | 20x20 | 1000 | 70x40x15 |



Male Elbow

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042704 | 16x1/2 | 1500 | 70x40x15 |
| SD042705 | 16x3/4 | 1500 | 70x40x15 |
| SD042706 | 20x1/2 | 1000 | 70x40x15 |
| SD042707 | 20x3/4 | 1000 | 70x40x15 |



Barbed End Cap

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042099 | 16mm | 2000 | 70x40x15 |
| SD042100 | 20mm | 1000 | 70x40x15 |



End Cap

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042101 | 16mm | 2500 | 70x40x15 |
| SD042102 | 20mm | 1500 | 70x40x15 |



Spike

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042114 | Long | 300 | 70x40x15 |
| SD042115 | Short | 300 | 70x40x15 |



Useful Solutions for
Additional
Partslife to soil...



Tape & GR Nipple

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042070-3 | 16x16 | 600 | 70x40x15 |
| SD042067 | 17x17 | 600 | 70x40x15 |
| SD042068 | 22x22 | 300 | 70x40x15 |



Tape & GR Offtake Nipple

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042070 | 17x16 | 800 | 70x40x15 |
| SD042071 | 22x20 | 400 | 70x40x15 |




Tape & GR Barbed Nipple

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042070-3 | 16x16 | 1000 | 70x40x15 |
| SD042070 | 17x16 | 1000 | 70x40x15 |
| SD042071 | 22x20 | 500 | 70x40x15 |



Tape & GR Male Nipple

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042712 | 16x1/2 | 750 | 70x40x15 |
| SD042713 | 16x3/4 | 750 | 70x40x15 |
| SD042713-1 | 17x1/2 | 750 | 70x40x15 |
| SD042713-2 | 17x3/4 | 750 | 70x40x15 |



Tape & GR Offtake Nipple Without Gaket

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042070-6 | 16x12 | 800 | 70x40x15 |
| SD042070-5 | 17x12 | 800 | 70x40x15 |



Tape & GR Nipple

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042052 | 17x17 | 1000 | 70x40x15 |
| SD042053 | 22x22 | 500 | 70x40x15 |



Tape (With Ring) Offtake

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042055 | 17x16 | 1000 | 70x40x15 |
| SD042056 | 22x20 | 500 | 70x40x15 |



Tape (With Ring) Barbed

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042055-1 | 17x16 | 1000 | 70x40x15 |
| SD042056-1 | 22x20 | 500 | 70x40x15 |



Nipple (Ring-Male)

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042714 | 17x1/2 | 1000 | 70x40x15 |
| SD042714 | 17x3/4 | 1000 | 70x40x15 |



Serdrip Irrigation Fittings



Dripline Tee

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042077-0 | 17x17x17 | 250 | 70x40x15 |
| SD042077 | 20x20x20 | 150 | 70x40x15 |



Dripline Grommet Tee

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042080 | 17x16x17 | 250 | 70x40x15 |
| SD042080-1 | 17x20x17 | 250 | 70x40x15 |



Dripline Male Tee

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|--------------|---------|----------|
| SD042083 | 17x1 1/2"x17 | 250 | 70x40x15 |



Serdrip.
Irrigation solutions



serdrip.com



Barbed Grommet Gasket

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042113 | 16 mm | 3000 | 70x40x15 |
| SD042260 | 20 mm | 2000 | 70x40x15 |



Barbed Grommet End Cap Gasket

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042258 | 16 mm | 3000 | 70x40x15 |
| SD042259 | 20 mm | 2000 | 70x40x15 |



Barbed Grommet Gasket

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042111 | 16 mm | 3000 | 70x40x15 |
| SD042112 | 20 mm | 2000 | 70x40x15 |
| SD042112-1 | 8 mm | 5000 | 70x40x15 |



Manuel Driller

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042117 | 16 mm | 50 | 42x33x26 |
| SD042118 | 20 mm | 50 | 42x33x26 |
| SD042120-1 | 25 mm | 100 | 42x33x26 |
| SD042120-2 | 32 mm | 100 | 42x33x26 |
| SD042120-3 | 40 mm | 100 | 42x33x26 |



Driller

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042119 | 16 mm | 100 | 42x33x26 |
| SD042120 | 20 mm | 100 | 42x33x26 |



3 mm Manuel Driller

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042116 | 3 mm | 50 | 42x33x26 |



Gives direction to water,

- Nos raccords serdrip sont fabriquées à partir de matières premières, le ppc original. Il est apprécié par les clients pour sa construction solide et sa conception parfaite.
- Grace a sa pression de travail de 5 bar maximum, elle est le meilleur produit sur le marché
- Il est fabriqué par des machines de dernière technologie et assemblé avec des machines de dernières generation.
- Température de fonctionnement est de 0- 60°C
- Il est adapté aux normes de mesure internationales et utilisé dans tous les pays du monde.

- Our serdrip fittings are made from raw material, the original ppc. It is appreciated by customers for its solid construction and perfect design.
- Thanks to its maximum working pressure of 5 bar, it is the best product on the market
- It is manufactured on the latest technology machines and assembled with the latest generation machines.
- The working temperature is 0-60°C
- It is adapted to the international measurement standards and used in all countries of the world.

SerDrip
Online Emitter

serdrip.com

Serdrip Irrigation Online Emitter



Red On-Line Dripper

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042110 | 0-70 L/H | 5000 | 70x40x15 |




Green On-Line Dripper

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042109 | 0-100 L/H | 2000 | 70x40x15 |



Black On Line Dripper

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042257 | 0-150 L/H | 2000 | 70x40x15 |




PC Emitter

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042110-1 | 2 L/H | 2500 | 42x33x26 |
| SD042110-2 | 4 L/H | 2500 | 42x33x26 |
| SD042110-3 | 8 L/H | 2500 | 42x33x26 |
| SD042110-4 | 16 L/H | 2500 | 42x33x26 |

| Flow Rate | 0.5 bar | 1 bar | 2 bar | 3 bar | 4 bar |
|-----------|---------|-------|-------|-------|-------|
| 2 L/h | 1.9 | 2 | 2 | 2.1 | 2.2 |
| 4 L/h | 3.8 | 4 | 4 | 4.2 | 4.3 |
| 8 L/h | 7.7 | 8 | 8 | 8.1 | 8.3 |
| 16 L/h | 15.8 | 16 | 16 | 16.2 | 16.4 |

Specifications;

- Openable Dripper ; Easy to clean by users.
- UV Resistant
- Manufactured from virgin plastic for stable performance and longer life.
- Recommended filtration; 120 mesh - 130 micron.
- Manufacturing coefficient of variation, CVm < 5% ensure high field emission uniformity.
- Punch diameter 2.9 mm.
- 4mm Spaghetti Pipe Connection.



Serdrip PC Emitter

- Provide 100% homogeneous water and food distribution in a wide pressure range for more homogeneous and high yields.
- Provide Consistent flow rate and flawless operation.
- The number of drippers can easily be increased to meet a sufficient amount of water for your plant.
- Eliminates the effect of drainage and filling and increases the efficiency of irrigation.



Spaghetti Pipe (White-Black)

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|-----------|------------|---------|----------|
| SPG042001 | 5mm | 250 | 42x33x26 |
| SPG042002 | 7mm | 250 | 42x33x26 |

Starter Outlet Microtube

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| MT042010 | 5mm | 5000 | 42x33x26 |

Mini Nipple

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| MT042006 | 5mm | 5000 | 42x33x26 |
| MT042007 | 7mm | 5000 | 42x33x26 |

Emitter Outlet Connector

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| MT042004 | 5mm | 5000 | 42x33x26 |

Plug For Microtube

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| MT042005 | 7mm | 5000 | 42x33x26 |

Emitter Elbow Manifold

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| MT042003 | 5mm | 5000 | 42x33x26 |

Emitter Tee Manifold

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| MT042002 | 5mm | 5000 | 42x33x26 |

Emitter Four Way Manifold

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| MT042001 | 5mm | 5000 | 42x33x26 |



Serdrip Irrigation Micro Fittings



Hydroponic Stake

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|---------------|---------|----------|
| MT042008 | 5mm | 2500 | 42x33x26 |
| MT042009 | 5mm - 2.3 LPH | 2000 | 42x33x26 |



Radius Stable Mini Sprayer

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042400 | 180° | 15.000 | 42x33x26 |
| SD042401 | 360° | 15.000 | 42x33x26 |



Mini Sprey

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|--------------|---------|----------|
| SD042410 | 100 -120 LPH | 2400 | 42x33x26 |



3/4 Garden & Land Sprey

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|-----------|------------|---------|----------|
| SPR042001 | 3/4 | 400 | 42x33x26 |



Çevreci bakış açısı ile
**geleceğe
emin adımlarla**




**YOUR
RELIABLE
SUPPORTER
FOR THE
MOST
PRODUCTIVE
CROPS**



Gives direction to water,

- Nos vannes serdrip sont fabriquées à partir de matières premières, le ppc original. Il est apprécié par les clients pour sa construction solide et sa conception parfaite.
- Grace a sa pression de travail de 10 bar maximum, elle est le meilleur produit sur le marché
- Il est fabriqué par des machines de dernière technologie et assemblé avec des machines de dernières génération.
- Température de fonctionnement est de 0- 60°C
- Il est adapté aux normes de mesure internationales et utilisé dans tous les pays du monde.



SerDrip PP Valve



serdrip.com

Serdrip PP Valve



PP Ball Valve

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|----------|------------|---------|----------|
| SD042130 | 1/2" | 150 | 42x33x26 |
| SD042131 | 3/4" | 125 | 42x33x26 |
| SD042132 | 1" | 65 | 42x33x26 |
| SD042133 | 1 1/4" | 40 | 42x33x26 |
| SD042134 | 1 1/2" | 35 | 42x33x26 |
| SD042135 | 2" | 18 | 42x33x26 |
| SD042136 | 2 1/2" | 12 | 42x33x26 |
| SD042137 | 3" | 7 | 42x33x26 |
| SD042138 | 4" | 4 | 47x37x29 |



PP Ball Valve With Steel Bar

| CODE | DIMENSIONS | PCS/BOX | BOX SIZE |
|------------|------------|---------|----------|
| SD042132-1 | 1" | 65 | 42x33x26 |
| SD042133-1 | 1 1/4" | 40 | 42x33x26 |
| SD042134-2 | 1 1/2" | 35 | 42x33x26 |
| SD042135-2 | 2" | 18 | 42x33x26 |
| SD042136-2 | 2 1/2" | 12 | 42x33x26 |
| SD042137-2 | 3" | 7 | 42x33x26 |
| SD042138-2 | 4" | 4 | 47x37x29 |



SerDrip Filter

Gives direction to water,

- Nos filtre serdrip sont fabriquées à partir de matières premières, le ppc original. Il est apprécié par les clients pour sa construction solide et sa conception parfaite.
- Grace a sa pression de travail de 5-10 bar maximum, elle est le meilleur produit sur le marché
- Il est fabriqué par des machines de dernière technologie et assemblé avec des machines de dernières generation.
- Température de fonctionnement est de 0- 60°C
- Il est adapté aux normes de mesure internationales et utilisé dans tous les pays du monde.

- Our filter valves are made from raw material, the original ppc. It is appreciated by customers for its solid construction and perfect design.
- Thanks to its maximum working pressure of 5-10 bar, it is the best product on the market
- It is manufactured on the latest technology machines and assembled with the latest generation machines.
- The working temperature is 0-60°C
- It is adapted to the international measurement standards and used in all countries of the world.



SER
DRIP

serdrip.com

Serdrip Irrigation Filter



Why Plastic Mini Filter (Sieve) ?

Serdrip PPC Filters are self-cleaning filters. Almost all of the filter components are made of plastic raw materials. Therefore, the corrosion resistance of the filters is quite high. It is ensured that the filter performs its duty for years without corrosion.

Plastic Mini Filter (Sieve)

| CODE | D inch | FLOW RATE m³ | DIMENSION | FILTRATION SURFACE cm² |
|----------|-----------|-----------------|-----------|---------------------------|
| SD042122 | 3/4" | 7 | 20 | 185 |
| SD042123 | 1" | 10 | 20 | 300 |
| SD042124 | 1 1/4" | 15 | 7 | 325 |
| SD042125 | 1 1/2" | 20 | 7 | 550 |
| SD042126 | 2" | 25 | 7 | 550 |



| Technical Specification | Body Material | PPC |
|-------------------------|--------------------------|------------------|
| | Max. Working Pressure | 8 bar (116 Psi) |
| | Min. Working temperature | 0 C |
| | Max. Working Pressure | 60 C - 140 F |
| | Filtration | 130 Micron |
| | Inner set | Disc |

Mini Filter Interior Set

| CODE | DIMENSION | BOX pcs |
|----------|-----------|------------|
| SD042127 | Small | 25 |
| SD042128 | Big | 25 |


Double Plastic Filter

| Code | D inch | Connection Type | Flow Rate m³ | Filtration Surface cm² | D mm | D1 mm | H inch | H1 mm | K mm | T inch |
|--------------|--------|-----------------|--------------|------------------------|------|-------|--------|-------|------|--------|
| SD042126-15A | 3" | Y-Y | 50 | 2940 | 87 | 205 | 1210 | 481 | 340 | 3/4. |
| SD042126-15B | | W-W | 50 | 2940 | 89 | 205 | 1210 | 481 | 340 | 3/4. |
| SD042126-16A | 4" | Y-Y | 50 | 2940 | 113 | 205 | 1210 | 481 | 340 | 3/4. |
| SD042126-16B | | W-W | 50 | 2940 | 114 | 205 | 1210 | 481 | 340 | 3/4. |


Plastic Filter

| Code | D inch | Connection Type | Flow Rate m³ | Filtration Surface cm² | D mm | D1 mm | H inch | H1 mm | K mm | T inch |
|-------------|--------|-----------------|--------------|------------------------|------|-------|--------|-------|------|--------|
| SD042126-5A | | Y-Y-Y | 25 | 1470 | 59 | 205 | 755 | 481 | 311 | 3/4. |
| SD042126-5B | 2" | W-Y-W | 25 | 1470 | 61 | 205 | 755 | 481 | 311 | 3/4. |
| SD042126-5C | | W-W-Y | 25 | 1470 | 61 | 205 | 755 | 481 | 311 | 3/4. |
| SD042126-6A | 2 1/2" | Y-Y-Y | 30 | 1470 | 74 | 205 | 750 | 481 | 337 | 3/4. |
| SD042126-6B | | W-Y-W | 30 | 1470 | 76 | 205 | 750 | 481 | 337 | 3/4. |
| SD042126-6C | | W-W-Y | 30 | 1470 | 76 | 205 | 750 | 481 | 337 | 3/4. |
| SD042126-7A | | Y-Y-Y | 35 | 1470 | 87 | 205 | 765 | 481 | 340 | 3/4. |
| SD042126-7B | 3" | W-Y-W | 35 | 1470 | 89 | 205 | 765 | 481 | 340 | 3/4. |
| SD042126-7C | | W-W-Y | 35 | 1470 | 89 | 205 | 765 | 481 | 340 | 3/4. |

Why Plastic Filter ?

Serdrip Pa Filters are self-cleaning filters. Almost all of the filter components are made of plastic raw materials. Non-plastic parts are made of stainless steel. Therefore, the corrosion resistance of the filters is quite high. It is ensured that the filter performs its duty for years without corrosion.

| | | |
|--------------------------------|--------------------------|-----------------|
| Technical Specification | Body Material | Nylon 6 |
| | Max. Working Pressure | 8 bar (116 Psi) |
| | Min. Working temperature | 0 C |
| | Max. Working Pressure | 60 C - 140 F |
| | Filtration | 130 Micron |
| | Inner set | Disc |

SERDRIP

FILTER THE WATER GROW HIGH-QUALITY PRODUCTS!

serdrip.com



Serdrip Irrigation Pipes



16 mm Round Drip Irrigation Pipes

| Code | Diameter | Thickness | Range cm | Length | Flow |
|----------|----------|-----------|----------|--------|-------|
| SD042218 | ø16 | 0.9mm | 20 | 400 | 2-4-8 |
| SD042219 | ø16 | 0.9mm | 25 | 400 | 2-4-8 |
| SD042220 | ø16 | 0.9mm | 33 | 400 | 2-4-8 |
| SD042221 | ø16 | 0.9mm | 40 | 400 | 2-4-8 |
| SD042222 | ø16 | 0.9mm | 50 | 400 | 2-4-8 |
| SD042223 | ø16 | 0.9mm | 60 | 400 | 2-4-8 |
| SD042224 | ø16 | 0.9mm | 70 | 400 | 2-4-8 |
| SD042225 | ø16 | 0.9mm | 75 | 400 | 2-4-8 |
| SD042226 | ø16 | 0.9mm | 80 | 400 | 2-4-8 |
| SD042227 | ø16 | 0.9mm | 90 | 400 | 2-4-8 |
| SD042228 | ø16 | 0.9mm | 100 | 400 | 2-4-8 |
| SD042229 | ø16 | 1.0 mm | 20 | 400 | 2-4-8 |
| SD042230 | ø16 | 1.0 mm | 25 | 400 | 2-4-8 |
| SD042231 | ø16 | 1.0 mm | 33 | 400 | 2-4-8 |
| SD042232 | ø16 | 1.0 mm | 40 | 400 | 2-4-8 |
| SD042233 | ø16 | 1.0 mm | 50 | 400 | 2-4-8 |
| SD042234 | ø16 | 1.0 mm | 60 | 400 | 2-4-8 |
| SD042235 | ø16 | 1.0 mm | 70 | 400 | 2-4-8 |
| SD042236 | ø16 | 1.0 mm | 75 | 400 | 2-4-8 |
| SD042237 | ø16 | 1.0 mm | 80 | 400 | 2-4-8 |
| SD042238 | ø16 | 1.0 mm | 90 | 400 | 2-4-8 |
| SD042239 | ø16 | 1.0 mm | 100 | 400 | 2-4-8 |

Recommended Dripline Length

| Diameter | Flow Rate LPH | Land Slope | Inside Pressure | 20 | 25 | 33 | 40 | 50 | 60 | 75 | 100 |
|----------|---------------|------------|-----------------|----|----|----|----|-----|-----|-----|-----|
| 16 | 2,0-2,1 | 3,50% | 0,5 | 29 | 37 | 44 | 53 | 66 | 77 | 85 | 97 |
| | | 5% | 1 | 39 | 49 | 59 | 71 | 88 | 103 | 113 | 129 |
| | | 7% | 1,5 | 47 | 59 | 71 | 85 | 106 | 124 | 136 | 155 |
| | | 10% | 2 | 54 | 68 | 81 | 98 | 121 | 142 | 156 | 178 |
| 16 | 4,0-4,2 | 3,50% | 0,5 | 23 | 29 | 35 | 40 | 53 | 62 | 65 | 74 |
| | | 5% | 1 | 30 | 39 | 46 | 53 | 71 | 82 | 86 | 99 |
| | | 7% | 1,5 | 36 | 47 | 55 | 64 | 85 | 98 | 103 | 119 |
| | | 10% | 2 | 41 | 54 | 63 | 79 | 98 | 113 | 119 | 137 |
| 16 | 8,0-8,4 | 3,50% | 0,5 | 18 | 22 | 27 | 28 | 41 | 47 | 49 | 56 |
| | | 5% | 1 | 23 | 29 | 35 | 37 | 54 | 62 | 65 | 75 |
| | | 7% | 1,5 | 27 | 35 | 41 | 45 | 65 | 73 | 77 | 89 |
| | | | 2 | 31 | 40 | 47 | 55 | 75 | 85 | 90 | 102 |

Serdrip Irrigation Pipes



Straight Drip Irrigation Pipes

| Code | Diameter | Thickness | Range cm | Length |
|----------|----------|-----------|----------|--------|
| SD042251 | ø16 | 09mm | 400 | 400 |
| SD042252 | ø16 | 1.0 mm | 400 | 400 |
| SD042331 | ø16 | 1.1 mm | 400 | 400 |
| SD042253 | ø20 | 1.0 mm | 300 | 400 |
| SD042254 | ø20 | 1.2 mm | 300 | 400 |
| SD042332 | ø20 | 1.5 mm | 300 | 400 |
| SD042255 | ø25 | 1.2 mm | 200 | 400 |
| SD042256 | ø25 | 1.5 mm | 200 | 400 |
| SD042333 | ø25 | 2.0mm | 200 | 400 |




20 mm Round Drip Irrigation Pipes


| Code | Diameter | Thickness | Range cm | Length | Flow |
|----------|----------|-----------|----------|--------|-------|
| SD042240 | ø20 | 1.1 mm | 20 | 300 | 2-4-8 |
| SD042241 | ø20 | 1.1 mm | 25 | 300 | 2-4-8 |
| SD042242 | ø20 | 1.1 mm | 33 | 300 | 2-4-8 |
| SD042243 | ø20 | 1.1 mm | 40 | 300 | 2-4-8 |
| SD042244 | ø20 | 1.1 mm | 50 | 300 | 2-4-8 |
| SD042245 | ø20 | 1.1 mm | 60 | 300 | 2-4-8 |
| SD042246 | ø20 | 1.1 mm | 70 | 300 | 2-4-8 |
| SD042247 | ø20 | 1.1 mm | 75 | 300 | 2-4-8 |
| SD042248 | ø20 | 1.1 mm | 80 | 300 | 2-4-8 |
| SD042249 | ø20 | 1.1 mm | 90 | 300 | 2-4-8 |
| SD042250 | ø20 | 1.1 mm | 100 | 300 | 2-4-8 |




Box Loading Program




| 20 DC Container Piece | |
|-----------------------|-------------|
| Box | 775 |
| Package Size | 415x328x250 |




| 20 DC Container Piece | |
|-----------------------|-------------|
| Sack | 865 |
| Package Size | 500x800x180 |




| 20 DC Container Piece | |
|-----------------------|-------------|
| Pipe Roll | 230 |
| Package Size | 800x800x270 |



| 40 HC Container Piece | |
|-----------------------|-------------|
| Box | 1850 |
| Package Size | 415x328x250 |



| 40 HC Container Piece | |
|-----------------------|-------------|
| Sack | 2100 |
| Package Size | 500x800x180 |



| 40 HC Container Piece | |
|-----------------------|-------------|
| Pipe Roll | 450 |
| Package Size | 800x800x270 |



It gives direction to
water and life to soil.

SER
DRIP

serdrip.com



*Star Brand of the
Irrigation Industry*

Büyükkayacak OSB Mah. 5. Kısım

516 Nolu Sk. No : 5 Selçuklu/Konya

export@serdrip.com

serdripexport@gmail.com

serdrip@gmail.com

Export: +90 532 589 11 83

Factory: +90 532 735 11 83

Factory: +90 332 355 24 94

www.serdrip.com